# New Jersey Division of AIDS Prevention and Control Persons Living with HIV/AIDS as of December 31, 2002 Gloucester County Residents

1.	Current HIV/AIDS Category	Adult/Adol Cases	escent *		Pediat Cases	ric *			Tota ases 	al % 
	AIDS-Any OI AIDS-CD4 Only HIV Only	 # 73 #	#		# 0 #	=	# O #		47 73 113	20 31 48
	Total	#	#		#		<del>-</del> #	_	233	100
2.	Current Age * Cases %	3. Race/E			Adult/ Cases	; %		용	Tota Cases	%
	<pre>&lt;5  # # 5-12  # # 13-19  # # 20-29  6  3</pre>	White, Not Hispanic Black, Not Hispanic Hispanic Other/Unknown Total			# # 24 7				121 81 24 7	52 35 10 3
	30-39 75 32 40-49 102 44 50+ 45 19 Unk. 0 0				#	#	#	#	233	
4	Total 233 100  Patient Group		7.0	J., 1 + / 7.	dolescen	+ 550	- am i a a :	ion M	odoo **	
4.	-		Males	%		Female	es %		Tota	al %
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***		9 7 39	50 17 5 4 23		( ( 31 21	0 0 3 13 0 0 1 52 1 35		3	34 37 37 16 9 4 38 17 50 26
	Total		168				100		22	28 100
			Males	Peo %	diatric	Female	es %	n Mod	Tota	
	Parent at risk/has AIDS/HIV Risk not reported/other***		# O	# O		<del> </del>				5 100 0 0
	Total		#	#			 # #			5 100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- $^{\star}$  Classification based on current age at the end of December 2002.
- \*\* 1 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

#### New Jersey Division of AIDS Prevention and Control AIDS Cases Reported as of December 31, 2002 Gloucester County Residents

	Adult/Adolescent*	Pedia	atric*	Tot	al
1. Disease Category	Cases (%) Deaths (%	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP Other OI w/o PCP KS Alone No Disease Listed	- ,	74) # ( 50) 73) 0 ( 0)	0 ( 0) 0 ( 0) 0 ( .) 0 ( .)	92 ( 29) 100 ( 32) 11 ( 4) 109 ( 35)	75 ( 83) 73 ( 74) 8 ( 73) 36 ( 34)
Total	310 (100) 192 (	63) # (100)	0 ( 0)	312 (100)	192 ( 63)
2. Age * Cases	% 3. Race/Eth.	Adult/Adl* Cases %	Pediatric* Cases %	Total Cases %	

2.	Age *	Cases	%	3. Race/Eth.	Adult/A Cases	Adl* %	Pediatr Cases	`1C* %	Total Cases	용
	Under 5	#	1	White, Not Hispanic	198	64	#	50	199	64
	5-12	0	0	Black, Not Hispanic	85	27	#	50	86	28
	13-19	#	1	Hispanic	#	#	#	#	25	8
	20-29	51	16	Other/Unknown	#	#	0	0	#	1
	30-39	136	44							
	40-49	84	27	Total	310	100	#	100	312	100
	Over 49	37	12							
	Unknown	0	0							
	Total	312	100							

4.	Patient Group	Adult/Adolescent Transmission Modes **										
		Males %		Females	용	Total	용					
	Men sex with men (MSM)	146	56	0	0	146	47					
	Injection drug user (IDU)	43	16	12	26	55	18					
	MSM/IDU	21	8	0	0	21	7					
	Heterosexual contact	8	3	21	46	29	9					
	Risk not reported/other***	45	17	13	28	58	19					
	Total	263	100	46	100	309	100					

	Pediatric Transmission Modes					
	Males	용	Females	용	Total	용
Parent at risk/has AIDS/HIV	#	100	#	100	#	100
Risk not reported/other***	0	0	0	0	0	0
Total	#	100	#	100	#	100

<sup>#</sup> Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

<sup>\*</sup> Classification at time of AIDS diagnosis.

<sup>\*\* 1</sup> patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

<sup>\*\*\*</sup> Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

# New Jersey Division of AIDS Prevention and Control AIDS Cases Reported as of December 31, 2002 Gloucester County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	#	#	100%
1985	#	#	100%
1986	12	12	100%
1987	15	15	100%
1988	13	11	85%
1989	22	21	95%
1990	17	17	100%
1991	33	32	97%
1992	21	18	86%
1993	23	15	65%
1994	28	18	64%
1995	15	5	33%
1996	25	5	20%
1997	22	#	#
1998	17	5	29%
1999	15	7	47%
2000	14	#	#
2001	6	0	0%
2002	10	#	#
Total	312	192	62%

<sup>#</sup> Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

### New Jersey Division of AIDS Prevention and Control HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2002 Gloucester County Residents

0 0

1. Age *	Cases	90	2.	Race/Ethnicity		- ,	Adl* %		ediat ses			Total ases	용
Under 5	#	#		White, Not Hispanio		64	53		0	0	_	64	53
5-12	#	#		Black, Not Hispanio		#	#		#	#		42	35
13-19	#	#		Hispanic		10			0	0		10	8
20-29	31	25		Other/Unknown		#	#		#	#		6	1
30-39	60	49									_		
40-49	21	17		Total		#	#		#	#		122	100
Over 49	8	7											
Unknown	0	0											
Total	122	100											
				Males	왕 		_	males			Total	왕 	
Men sex wi	ith men (M	ISM)		41	49			0	0		41	34	
Injection	drug user	(IDU)		#	#			#	#		17	14	
MSM/IDU	-			5	6			0	0		5	4	
Heterosexu	al contac	:t		#	#			#	#		24	20	
Risk not r	reported/c	ther**	*	20	24			13	35		33	28	
Total				83	100			37	100		120	100	
				Males	Ped %	liatr		ansmi males		Modes	Total	olc	

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

Risk not reported/other\*\*\* -----

Total

Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

0

- $^{\star\star}$  O patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: Includes only those persons known to be infected with HIV. These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

# New Jersey Division of AIDS Prevention and Control HIV/AIDS Cases Reported as of December 31, 2002 Gloucester County Residents

1.	Current H				Cases				Case	es				Tota: .ses	용	
	AIDS-Any (AIDS-CD4 (HIV Only	DI Dnly			 # 109 #		25			# O #				203 109 122		
	Total				429		100			5	100			434	100	
2.	Age *			3.				Cas	ult/A ses	용	Cas	ses	ric*		Cases	otal %
	Under 5 5-12 13-19 20-29 30-39	 # # 88 198	# # # 20			Not Not c nkn	Hispanic Hispanic own		# # 8	# # #		# # #	 # # 0		128	61 29 8 2
	40-49 Over 49 Unknown	99 41 #	23 9 #		Total				429	100		5	100		434	
	Total	434	100													
4.	Patient G	-					Males	용		]	t Transr Females	용		Tota		
	Men sex wi Injection MSM/IDU Heterosexu Risk not i	ith men (M drug user ual contac reported/c	ISM) : (IDU) :t other***				26 12 65	54 16 8 3 19			0 16 0 41 26	0 19 0 49 31		72 20 53 93	7 44 2 17 6 6 3 12 1 21	
	Total						346	100		•	83			429		
							Males	8		]	Transmis Females	%		s Total		
	Parent at	risk/has reported/c	AIDS/HI ther***				# O	# O				# O		1	5 100	

5 100

NOTE: Includes only those persons known to be infected with HIV.

- Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \* Classification at time of first HIV+/AIDS diagnosis.

Total

- \*\* 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- $\ensuremath{^{\star\star\star}}$  Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

# New Jersey Division of AIDS Prevention and Control HIV/AIDS Cases Reported as of December 31, 2002 Gloucester County Residents

5.  $\mbox{HIV/AIDS}$  Cases by Year of First  $\mbox{HIV/AIDS}$  Diagnosis.

Year of First HIV/AIDS Diagnosi:	s Cases	Number Known Dead	Case-Fatality Rate
Before 1985	#	#	#
1985	6	6	100%
1986	14	12	86%
1987	17	17	100%
1988	18	14	78%
1989	29	26	90%
1990	30	24	80%
1991	46	34	74%
1992	30	11	37%
1993	36	15	42%
1994	41	14	34%
1995	29	8	28%
1996	34	#	#
1997	24	5	21%
1998	24	#	#
1999	17	#	#
2000	14	#	#
2001	14	0	0%
2002	8	#	#
Unknown	#	#	#
Total	434	201	46%

<sup>#</sup> Indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.